

A Guide to Spinner Blade Installation


Tools & Materials Required

- ◆ Wrench 1/2"
- ◆ 6 Blades per Dish: 6 Left Blades and 6 Right Blades
- ◆ 12 Fasteners, stainless steel per Dish
12 Nuts 5/16" + 12 Bolts (5/16" X 3/4" regular duty or 5/16" X 1" heavy duty)

Dishes are universal. Blades are NOT!!


Left Dish & Blades

Blade points to the **LEFT** when looking at wide end of blade as mounted on dish.



Right Dish & Blades



Blade points to the **RIGHT** when looking at wide end of blade as mounted on dish.



IMPORTANT! To ensure a quality spread pattern, verify these facts:

★ **Dishes are level**

The bar should evenly touch 4 places across the 2 dishes



★ **Dishes are have correct spacing**

There should be 25 1/2" center to center

★ **Dishes are centered below chute**



Reach down through chute with straight object



These measurements should be equal

★ **Dishes & Blades can NOT be mixed! All must be standard or heavy duty, but NEVER a mix of the two types.**



**Before you call NCI
for
technical assistance,
know
the serial number
from your equipment
located on the left
side rail on the unit.**

1-800-241-1350

NCI keeps records for each spreader or sprayer manufactured.

- These records are stored by serial number and will have complete information on your equipment as built.
- It will not reflect any changes made by the purchaser or other alterations.
- There may be differences in replacement part numbers due to technical improvements or changes in vendors / vendor supplies.